


How to make your AppsAnywhere portal available off-campus



Planning

- 1. Review app licenses and apply restrictions
- 2. Contact Software2 Support for advice
- 3. Make the required infrastructure changes

https://bit.ly/3dOK7Yy



Part 1 — Configuring Apps

App Restrictions

- Device Ownership –
 checks a registry key
- 2. On-Domain corresponds to the LDAP connection
- 3. On-Site matches the Local IP ranges in Admin

Provisions vs Delivery

Methods

Provisions

Apps will be invisible if restrictions not met.



Apps

Show as unavailable if no DM matches.




Delivery Methods

Locally Installed

Cloudpaging

Web Link



1 launch button. Multiple delivery methods. Any app.



Provisions

One possible approach to off-site:

- On-Site Only (Hide from off-site users)
- Off-site Apps (Apps permitted off-site)

 Note: moving apps between provisions will require existing Cloudpaging users to revisit the AppsAnywhere Portal.



Provisions

A better approach:

- Universal (Visible to everyone)
- Staff Only (Hide from students)

High-level provisions containing all of your apps, with the restrictions applied to delivery methods.

AppsAnywhere

Delivery Methods


- Create a list of apps that are restricted to On-site, or to your Device Ownership.
- 2. Update the Delivery Methods for those apps to secure them.

Tip: Use our pre-prepared SQL query to export a list of apps and Cloudpaging delivery methods.



Microsoft SQL Query

```
SELECT [title] AS 'Application',
      [vendor] AS 'Vendor',
      CASE s2hubapplication delivery method type
        WHEN 's2appj cloudpaging' THEN 'Cloudpaging'
                  AS 'Type',
      [priority] AS 'Priority',
      [display name] AS 'DM Display Name',
      [launch button text] AS 'Launch Button Text',
      CASE [state]
        WHEN '10' THEN 'Active'
        WHEN '30' THEN 'Suspended'
                        AS 'Status',
      CASE s2hubapplication delivery method byod
        WHEN '10' THEN 'All'
        WHEN '20' THEN 'Organization Owned'
        WHEN '30' THEN 'User Owned'
              AS 'Device Ownership',
      CASE s2hubapplication delivery method on domain
        WHEN '10' THEN 'Enforce'
        WHEN '20' THEN 'Do Not Enforce'
                        AS 'On Domain',
      CASE s2hubapplication delivery method.on site
        WHEN '10' THEN 'Enforce'
        WHEN '20' THEN 'Do Not Enforce'
              AS 'On Site'
FROM s2hubapplication application
      LEFT JOIN s2hubapplication_delivery_method
            ON s2hubapplication application.id =
               s2hubapplication delivery method application id
```





With great power comes great responsibility!




Query Results

⊞ F	Results Message	es								
	Application	Vendor	Туре	Priority	DM Display Name	Launch Button Text	Status	Device Ownership	On Domain	On Site
1	7-Zip	7-zip.org	Cloudpaging	1	Global CP 7-Zip	English	Active	All	Do Not Enforce	Do Not Enforce
2	Acrobat Reader DC	Adobe Inc	Cloudpaging	2	Online for non-laptops	English	Active	All	Do Not Enforce	Do Not Enforce
3	Acrobat Reader DC	Adobe Inc	Cloudpaging	1	Offline 7-days for laptops	NULL	Active	All	Do Not Enforce	Do Not Enforce
4	Audacity	Audacity.org	Cloudpaging	1	NULL	English	Active	All	Do Not Enforce	Do Not Enforce
5	Audacity	Audacity.org	Cloudpaging	2	NULL	German	Active	All	Do Not Enforce	Do Not Enforce
6	BEAST		Cloudpaging	1	NULL	NULL	Active	All	Do Not Enforce	Do Not Enforce
7	Blender		Cloudpaging	2	NULL	German	Active	All	Do Not Enforce	Do Not Enforce
8	Blender		Cloudpaging	1	NULL	English	Active	All	Do Not Enforce	Do Not Enforce
9	BlueJ		Cloudpaging	1	NULL	German	Active	All	Do Not Enforce	Do Not Enforce
10	BlueJ		Cloudpaging	2	NULL	English	Active	All	Do Not Enforce	Do Not Enforce
11	CMAP Tools		Cloudpaging	1	NULL	NULL	Active	All	Do Not Enforce	Do Not Enforce
12	ColorVeil		Cloudpaging	1	NULL	NULL	Active	All	Do Not Enforce	Do Not Enforce
13	CutePDF Writer		Cloudpaging	1	NULL	NULL	Active	All	Do Not Enforce	Do Not Enforce
14	Cygwin		Cloudpaging	1	NULL	NULL	Active	All	Do Not Enforce	Do Not Enforce
15	Eclispe		Cloudpaging	1	NULL	NULL	Active	All	Do Not Enforce	Do Not Enforce
16	Evernote		Cloudpaging	1	NULL	NULL	Active	All	Do Not Enforce	Do Not Enforce
17	ExifTool		Cloudpaging	1	NULL	NULL	Active	All	Do Not Enforce	Do Not Enforce
18	FigTree		Cloudpaging	1	NULL	NULL	Active	All	Do Not Enforce	Do Not Enforce
19	FileZilla		Cloudpaging	1	NULL	English	Active	All	Do Not Enforce	Do Not Enforce
20	FileZilla		Cloudpaging	2	NULL	German	Active	All	Do Not Enforce	Do Not Enforce
21	Firefox		Cloudpaging	1	NULL	English	Active	All	Do Not Enforce	Do Not Enforce
22	Firefox		Cloudpaging	2	NULL	German	Active	All	Do Not Enforce	Do Not Enforce
23	FreeMind		Cloudpaging	1	NULL	English	Active	All	Do Not Enforce	Do Not Enforce
24	FreeMand		Olevelee	2	All II I	0	Anti-	All	De Mat Faferse	De Net Faferse

Part 1 Summary

- Generate your list of apps, and confirm any license restrictions.
- 2. Update the Delivery
 Methods to restrict any
 on-site only apps.
- 3. Add additional DMs to sign-post alternatives




Part 2 - Infrastructure

External Requirements

- AppsAnywhere Portal
 Load Balancer / Port 443
- **2. Certificates** need to be from a Trusted Root CA
- 3. Paging Servers need a public IP and split DNS

User Access | Internet | Public IP



AppsAnywhere

AppsAnywhere Servers

Load Balancer

- Configure to forward external connections on port 443
- Tell Software2 Support in advance if your AppsAnywhere URL will change.

Certificates

- Apply on your load balancer.
- Need to be from a Trusted Root Certificate Authority.

Paging Servers

Externally available on port 80

- Paging data is already encrypted
- No load balancer is needed
- Load balance automatically

DNS resolution

 Must resolve internally as well as externally

AppsAnywhere

Paging Servers

Service Continuity

- Move a subset of your Paging servers first!
- 2. Tell Software 2 Support in advance so we can provide a new license.
- 3. Apply new Cloudpaging license and move remaining servers.

Part 2 Summary

- Update your load balancer and certificates.
- 2. Contact Software2 support to update your Cloudpaging license.
- 3. Switch your Paging servers to be externally accessible.



Improving the student experience

AppsAnywhere

Adding Offline Cloudpaging


- Online Only is best for labs / desktops
 - Apps are cached after first use
 - Pre-caching can be used to speed up

- Offline access for laptop users
 - Set a reasonable offline duration
 - Even if the app only works online

Tip: It's easy to configure this by adding a new Delivery Method with the same settings but higher priority.

Providing Options


What if the app is not available for off-site use?



- Provide a link to the vendor website
 - Or a trial download option

Apps with license servers

- Provide a VPN, or link to existing VDI / RDS
 - Software2 can provide Parallels RAS



Software 2 Student Video



https://bit.ly/3dLFpKT



Further help...

Related Article

https://bit.ly/3dOK7Yy

Contact Support

support@software2.com

Talk to your Sofware2 account manager